L Number	Hits	Search Text	DB	Time stamp
-	1	snapshot\$1 same session\$1 same re\$1 same	USPAT;	2003/09/24 13:08
		(connect\$4 or establish\$4)	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	9	<pre>snapshot\$1 same session\$1 and (re\$1 near</pre>	USPAT;	2003/09/24 13:10
		(connect\$4 or establish\$4))	US-PGPUB;	
			EPO; JPO;	
	-		IBM_TDB	
-	2	709/227,228.ccls. and (snapshot\$1 same	USPAT;	2003/09/24 13:11
		<pre>session\$1 same (connect\$4 or establish\$4))</pre>	US-PGPUB;	
			EPO; JPO;	
	32	<pre>snapshot\$1 same session\$1 same (connect\$4</pre>	IBM_TDB USPAT;	2003/09/26 13:21
-	52	or establish\$4)	US-PGPUB;	2003/03/28 13.21
			EPO; JPO;	
			IBM TDB	
-	110	re\$1boot same server same (state or	USPAT;	2003/09/25 09:39
		status)	US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
-	13053	session\$1 same (\$2connect\$4 or	USPAT;	2003/09/25 09:19
		2\$establish\$4)	US-PGPUB;	
			EPO; JPO;	
	_		IBM_TDB	
-	2	709/227,228.ccls. and (re\$1boot same	USPAT;	2003/09/25 09:19
		server same (state or status)) and	US-PGPUB;	
		(session\$1 same (\$2connect\$4 or	EPO; JPO;	
_	360	2\$establish\$4)) re\$1boot same server and (state or status)	IBM_TDB USPAT;	2003/09/25 09:40
_	300	residoot same server and (state of status)	US-PGPUB;	2003/09/23 09:40
			EPO; JPO;	
			IBM TDB	
-	11	709/227,228.ccls. and (session\$1 same	USPAT;	2003/09/25 11:46
		(\$2connect\$4 or 2\$establish\$4)) and	US-PGPUB;	
		(re\$1boot same server and (state or	EPO; JPO;	
		status))	IBM_TDB	
-	27	server\$1 same shut\$1down same re\$1boot	USPAT;	2003/09/25 12:37
			US-PGPUB;	
			EPO; JPO;	
	-		IBM_TDB	
-	7	(server\$1 same request\$3 same shut\$1down	USPAT;	2003/09/25 14:09
		same re\$lboot) and (state\$1 or status)	US-PGPUB; EPO; JPO;	
1			IBM TDB	
-	٦	709/227,228.ccls. and (session\$1 same	USPAT;	2003/09/25 12:35
	5	(\$2connect\$4 or 2\$establish\$4)) and	US-PGPUB;	
		(re\$1boot same server and (state or	EPO; JPO;	
		status)) and flag	IBM TDB	
-	5	server\$1 same shut\$1down same	USPAT;	2003/09/25 12:40
		pre\$1determined same re\$1boot	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	13	server\$1 same shut\$1down same time\$4 same	USPAT;	2003/09/25 12:55
		re\$1boot	US-PGPUB;	
			EPO; JPO;	
_	133	non\$1volatile near2 memory same state same	IBM_TDB USPAT;	2003/09/25 14:28
	100	(shutdown or re\$1boot)	US-PGPUB;	2000/00/20 19.20
			EPO; JPO;	
		, · · · · · · · · · · · · · · · · · · ·	IBM TDB	
-	5	non\$1volatile near2 memory same state same	USPAT;	2003/09/25 14:31
	-	(shutdown\$2 or re\$1boot\$2) same server\$1	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	2	(non\$1volatile near2 memory same state	USPAT;	2003/09/25 14:34
		<pre>same (shutdown\$2 or re\$1boot\$2) same</pre>	US-PGPUB;	
		server\$1) and flag\$1	EPO; JPO;	
1 1			IBM TDB	

.

•

-	5	<pre>(non\$1volatile near2 memory same state same (shutdown\$2 or re\$1boot\$2) same</pre>	USPAT; US-PGPUB;	2003/09/25 14:48
		server\$1) and (flag\$1 or indicat\$4 or	EPO; JPO;	
_	238	<pre>show\$1) (non\$1volatile near2 memory same server\$1)</pre>	IBM_TDB USPAT;	2003/09/25 14:59
		and (flag\$1 or indicat\$4) and (shutdown\$2	US-PGPUB;	
		or re\$1boot\$2)	EPO; JPO; IBM TDB	
-	35	(non\$1volatile near2 memory same server\$1	USPAT;	2003/09/25 14:59
		<pre>same (flag\$1 or indicat\$4)) and (shutdown\$2 or re\$1boot\$2)</pre>	US-PGPUB; EPO; JPO;	
			IBM TDB	
-	5	(("5008786") or ("6134673") or ("5835953")	USPAT;	2003/09/26 09:59
		or ("5996086") or ("5195100")).PN.	US-PGPUB; EPO; JPO;	
			IBM_TDB	
-	3	((("5008786") or ("6134673") or ("5835953") or ("5996086") or	USPAT; US-PGPUB;	2003/09/27 10:41
		("5195100")).PN.) and state\$1 and server\$1	EPO; JPO;	
	60	(/	IBM_TDB USPAT;	2003/09/26 13:25
-	60	((snapshot\$1 or state\$1) same re\$1boot) and 713/1,2.ccls.	US-PGPUB;	2003/09/26 13:25
			EPO; JPO;	
` `	10	((snapshot\$1 or state\$1) same re\$1boot	IBM_TDB USPAT;	2003/09/26 14:52
		same (\$2connect\$4 or restor\$3)).ab,ti.	US-PGPUB;	
			EPO; JPO; IBM TDB	:
-	63	((snapshot\$1 or state\$1) same re\$1boot	USPAT;	2003/09/26 14:53
		<pre>same (\$2connect\$4 or restor\$3) same process\$3)</pre>	US-PGPUB; EPO; JPO;	
			IBM TDB	
-	9	((snapshot\$1 or state\$1) same re\$1boot	USPAT;	2003/09/26 14:54
		<pre>same (\$2connect\$4 or restor\$3) same process\$3 same request\$1)</pre>	US-PGPUB; EPO; JPO;	
			IBM_TDB	0000 (00 (00 14 55
-	47	(re\$1boot same (\$2connect\$4 or restor\$3) same process\$3 same request\$1)	USPAT; US-PGPUB;	2003/09/26 14:57
			EPO; JPO;	
-	141	re\$1boot same process\$3 same request\$1	IBM_TDB USPAT;	2003/09/26 15:17
			US-PGPUB;	
			EPO; JPO; IBM TDB	
-	0	713/1,2.ccls. and 709/227,228.ccls. and	USPAT;	2003/09/26 14:58
		(re\$1boot same process\$3 same request\$1)	US-PGPUB; EPO; JPO;	
			IBM_TDB	
-	33		USPAT; US-PGPUB;	2003/09/26 15:01
		(re\$1boot same process\$3 same request\$1)	EPO; JPO;	
	1 4 1	(nachboat an abutchdurach) come macroach	IBM_TDB USPAT;	2003/09/26 15:01
	141	(re\$1boot or shut\$1dwon\$2) same process\$3 same request\$1	US-PGPUB;	2003/09/20 ID:01
		-	EPO; JPO;	
_	33	(713/1,2.ccls. or 709/227,228.ccls.) and	IBM_TDB USPAT;	2003/09/26 15:17
		((re\$1boot or shut\$1dwon\$2) same process\$3	US-PGPUB;	
		same request\$1)	EPO; JPO; IBM TDB	
-	26		USPĀT;	2003/09/26 15:20
		same server\$1	US-PGPUB; EPO; JPO;	
			IBM_TDB	
-	7	(713/1,2.ccls. or 709/227,228.ccls.) and (re\$1boot same process\$3 same request\$1	USPAT; US-PGPUB;	2003/09/26 15:21
		same server\$1)	EPO; JPO;	
	2676	(test\$1 or re\$1boot) same server\$1 same	IBM_TDB USPAT;	2003/09/26 15:21
	20/0	(test\$1 or re\$1000t) same server\$1 same process\$3	US-PGPUB;	2003/09/20 13:21
			EPO; JPO;	
	I		IBM TDB	

`

.

-	148		USPAT;	2003/09/26 15:21
		((test\$1 or re\$1boot) same server\$1 same	US-PGPUB;	
		process\$3)	EPO; JPO;	
			IBM TDB	
-	559	re\$1boot\$2 near5 \$2process\$3	USPAT;	2003/09/27 09:18
			US-PGPUB;	
			EPO; JPO;	1
			IBM TDB	
-	1714	713/1,2.ccls.	USPAT;	2003/09/27 09:17
			US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
_	2265	709/227,228.ccls.	USPAT;	2003/09/27 09:17
	2200	, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	2000,00,21 00.11
			EPO; JPO;	
			IBM TDB	
	101	(re\$1boot\$2 near5 \$2process\$3) and	USPAT;	2003/09/27 09:18
	101	(713/1,2.ccls. or 709/227,228.ccls.)	US-PGPUB;	2003/03/27 03.10
		(115/1,2.0015. 01 109/221,228.0015.)		
			EPO; JPO;	
			IBM_TDB	
-	736		USPAT;	2003/09/27 09:19
		or again)	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	0	713/1,2.ccls. and 709/227,228.ccls. and	USPAT;	2003/09/27 09:19
		(re\$1boot\$2 near5 (\$2process\$3 or	US-PGPUB;	
		continu\$4 or again))	EPO; JPO;	
			IBM_TDB	
-	119		USPAT;	2003/09/27 09:19
		(re\$1boot\$2 near5 (\$2process\$3 or	US-PGPUB;	
		continu\$4 or again))	EPO; JPO;	
			IBM TDB	
_	14	(713/1,2.ccls. or 709/227,228.ccls.) and	USPAT;	2003/09/27 09:20
		(server\$1 same re\$1boot\$2 near5	US-PGPUB;	
		(\$2process\$3 or continu\$4 or again))	EPO; JPO;	
			IBM TDB	
_	74	server\$1 same re\$1boot\$2 near5	USPAT;	2003/09/27 09:59
		(\$2process\$3 or continu\$4 or again)	US-PGPUB;	
	1	(,spressest, or construction again)	EPO; JPO;	
			IBM TDB	
_	1	6341312.pn. and cycles	USPAT;	2003/09/27 10:00
	1		US-PGPUB;	2000,00,27 10.00
]		EPO; JPO;	
			IBM TDB	
-	0	((("5008786") or ("6134673") or	USPAT;	2003/09/27 10:42
	0	((5000700)) or (5996086) or	USPAT; US-PGPUB;	2003/09/2/ 10:42
		("5195100")).PN.) and takeover	EPO; JPO;	1
	2007	712/1 2 2012	IBM TDB	2004/04/10 15 10
-	2007	713/1,2.ccls.	USPAT;	2004/04/18 15:12
			US-PGPUB;	
			EPO; JPO;	
	0.000		DERWENT	
-	2687	709/227,228.ccls.	USPAT;	2004/04/18 15:13
			US-PGPUB;	
			EPO; JPO;	1
			DERWENT	
-	52	re\$boot with session	USPAT;	2004/04/18 15:15
			US-PGPUB;	1
			EPO; JPO;	
			DERWENT	
-	7	(713/1,2.ccls. or 709/227,228.ccls.) and	USPAT;	2004/04/18 15:15
		(re\$boot with session)	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	48	(flag\$1 or indicat\$4) and (re\$boot with	USPAT;	2004/04/18 15:17
		session)	US-PGPUB;	
			EPO; JPO;	Į
		(flags1 or indicated) come (methods with	DERWENT	2004/04/10 15 10
-	11		USPAT;	2004/04/18 15:19
		session)	US-PGPUB;	
			EPO; JPO;	
L		l	DERWENT	
		110/04 10 16 18 DM Deer 2		

-

•

-	100132	(flag\$1 or indicat\$4) with mode	USPAT;	2004/04/18 15
	100102		US-PGPUB;	
			EPO; JPO;	
		(rechect with session) and ((flags1 or	DERWENT	2004/04/18 15
-	8	<pre>(re\$boot with session) and ((flag\$1 or indicat\$4) with mode)</pre>	USPAT; US-PGPUB;	2004/04/18 15:
		indicality with mode	EPO; JPO;	
			DERWENT	
-	0	(flag\$1 or indicat\$4) same which with	USPAT;	2004/04/18 15:
		(client\$1 or server\$1 or workstation\$1)	US-PGPUB;	
		same re\$boot\$3	EPO; JPO;	
	0	(flag\$1 or indicat\$4) same which same	DERWENT USPAT;	2004/04/18 15:
-	0	(client\$1 or server\$1 or workstation\$1)	US-PGPUB;	2004/04/10 10
		same re\$boot\$3	EPO; JPO;	
			DERWENT	
-	0	(flag\$1 or indicat\$4) same which same	USPAT;	2004/04/18 15:
		re\$boot\$3	US-PGPUB;	
			EPO; JPO;	
_	1140	(flags1 or indicats4) same respects?	DERWENT USPAT;	2004/04/18 15:
-	1140	(flag\$1 or indicat\$4) same re\$boot\$3	US-PGPUB;	5004/04/TO T2:
			EPO; JPO;	
			DERWENT	
-	37		USPAT;	2004/04/18 15:
		session\$1	US-PGPUB;	
			EPO; JPO;	
_	415	(flag\$1 or indicat\$4) same (re\$boot\$3 or	DERWENT USPAT;	2004/04/18 15:
	410	re\$establish\$3 or re\$connect\$3 or	US-PGPUB;	2004/04/10 13:
	1	recover\$3) same session\$1	EPO; JPO;	
			DERWENT	
-	34		USPAT;	2004/04/18 15:
		((flag\$1 or indicat\$4) same (re\$boot\$3 or	US-PGPUB;	
		re\$establish\$3 or re\$connect\$3 or recover\$3) same session\$1)	EPO; JPO; DERWENT	
_	79		USPAT;	2004/04/18 15:
		clamparonet with receivery with raily	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	0	transparent\$ with recovery with fail\$ with	USPAT;	2004/04/18 15:
		re\$boot\$3	US-PGPUB; EPO; JPO;	
			DERWENT	
-	43	(transparent\$ with recovery with fail\$)	USPAT;	2004/04/18 15:
		and (re\$boot\$3 or re\$establish\$5 or	US-PGPUB;	
		re\$connect\$3)	EPO; JPO;	
			DERWENT	0004/04/10 17
-	22	(transparent\$ with recovery with fail\$) and (re\$boot\$3 or re\$establish\$5 or	USPAT;	2004/04/18 15:
		re\$connect\$3) and session\$1	US-PGPUB; EPO; JPO;	
			DERWENT	
-	20		USPAT;	2004/04/18 15:
		and (re\$boot\$3 or re\$establish\$5 or	US-PGPUB;	
		re\$connect\$3) and (flag\$1 or indicator\$1)	EPO; JPO;	
		6224120 pp and (flage1 ar indicator(1)	DERWENT	2004/04/10 15
-		6334139.pn. and (flag\$1 or indicator\$1)	USPAT; US-PGPUB;	2004/04/18 15:
			EPO; JPO;	
			DERWENT	
-	63	\$5elective same (re\$boot\$3 or	USPAT;	2004/04/18 16:
		re\$establish\$3 or re\$connect\$3) and	US-PGPUB;	
		(flag\$1 or indicator\$1)	EPO; JPO;	
			DERWENT	
-	15	<pre>\$5elective same (re\$boot\$3 or re\$establish\$3 or re\$connect\$3) and</pre>	USPAT;	2004/04/18 15:
		(flag\$1 or indicator\$1) and recovery	US-PGPUB; EPO; JPO;	
		(Tradit of Thereforet) and recovery	DERWENT	

	21	\$5elective same (re\$boot\$3 or	USPAT;	2004/04/18 15:5
		re\$establish\$3 or re\$connect\$3) and	US-PGPUB;	
		(flag\$1 or indicator\$1) and (fail\$over or	EPO; JPO;	
		take\$over or recover\$2 or redundancy or	DERWENT	
		(fault near toleran\$2))		
-	1	(elective or non\$elective) with (re\$boot\$3	USPAT;	2004/04/18 16:0
		or re\$establish\$3 or re\$connect\$3) and	US-PGPUB;	
		(flag\$1 or indicator\$1)	EPO; JPO;	
			DERWENT	
-	1	(elective or non\$elective) with shutdown	USPAT;	2004/04/18 16:0
		and (flag\$1 or indicator\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT	000000000000000000000000000000000000000
-	1		USPAT;	2004/04/18 16:0
		or shutdown)	US-PGPUB;	
			EPO; JPO;	
_	114	(elective or non\$elective) and (re\$boot\$3	DERWENT USPAT;	2004/04/18 16:1
-	114	or shutdown)	US-PGPUB;	2004/04/10 10:1
			EPO; JPO;	
			DERWENT	
_	14	re\$1stor\$3 near re\$1boot\$	USPAT;	2004/04/18 16:1
	1 11		US-PGPUB;	2001/01/10 10.1
			EPO; JPO;	
			DERWENT	
_	43388	714/\$.ccls.	USPAT;	2004/04/18 16:1
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
_	39		USPAT;	2004/04/19 08:4
		(re\$boot or re\$establish\$3 or	US-PGPUB;	
		re\$connect\$3) same server	EPO; JPO;	
			DERWENT	00000/00/100000
-	102	(flag\$1 or indicat\$3) same determin\$4 same	USPAT;	2004/04/19 09:0
		(re\$boot or re\$establish\$3 or re\$connect\$3) same server	US-PGPUB;	
		resconnectss) same server	EPO; JPO; DERWENT	
_	3	(flag\$1 or indicat\$3) with determin\$4 with	USPAT;	2004/04/19 08:5
		(re\$boot or re\$establish\$3 or	US-PGPUB;	2004/04/19 00.5
		re\$connect\$3) with server	EPO; JPO;	
			DERWENT	
-	4	(flag\$1 or indicat\$3) with (type\$1 or	USPAT;	2004/04/19 08:5
		which or particular) with (re\$boot or	US-PGPUB;	
		re\$establish\$3 or re\$connect\$3) with	EPO; JPO;	
		server	DERWENT	
-	698	714/2.ccls.	USPAT;	2004/04/19 09:0
			US-PGPUB;	
			EPO; JPO;	
	205	(Flerfler, indication) come (methods on	DERWENT	2004/04/10 00.2
-	395	<pre>(flag\$1 or indicat\$3) same (re\$boot or re\$establish\$3 or re\$connect\$3) same</pre>	USPAT; US-PGPUB;	2004/04/19 09:2
		(server or sesstion\$1)	EPO; JPO;	
		(Server or Sesscrondr)	DERWENT	
_	1	714/2.ccls. and ((flag\$1 or indicat\$3)	USPAT;	2004/04/19 09:0
	-	same (re\$boot or re\$establish\$3 or	US-PGPUB;	
		re\$connect\$3) same (server or sesstion\$1)	EPO; JPO;	
			DERWENT	
-	344	(flag\$1 or indicat\$3) same (re\$boot or	USPAT;	2004/04/19 09:2
	1	re\$establish\$3 or re\$connect\$3) same	US-PGPUB;	
		(server or sesstion\$1) and (state or	EPO; JPO;	
		status)	DERWENT	
-	1	714/2.ccls. and ((flag\$1 or indicat\$3)	USPAT;	2004/04/19 09:2
		same (re\$boot or re\$establish\$3 or	US-PGPUB;	
		<pre>re\$connect\$3) same (server or sesstion\$1)</pre>	EPO; JPO;	
		and (state or status))	DERWENT	
-	1	(714/2.ccls. and ((flag\$1 or indicat\$3)	USPAT;	2004/04/19 09:4
		same (re\$boot or re\$establish\$3 or	US-PGPUB;	
		re\$connect\$3) same (server or sesstion\$1)	EPO; JPO;	
	1	and (state or status))) and flag	DERWENT	1